

4XEM USB 3.0 to DVI Display Adapter

4XEM Part- 4XUG3501D



4XEM's USB 3.0 to DVI adapter offers the ability to connect your USB and DVI devices through the USB cable with high quality resolution (up to 2048 x 1152). The device takes the hassle of lengthy setups and removes the need to install additional hardware to connect your DVI displays. The USB connection is backwards compatible with USB 2.0 and offers 5Gbps connection speeds with no extra power source needed. Along with backwards compatibility this device is compatible with various Windows versions (i.e 10/8.1/Vista/XP). Connect your devices easily with 4XEM's USB 3.0 to DVI Display Adapter.

**Problem it solves:** Connect your DVI displays easily through USB 3.0 connection.

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

Contact Todd Schaus 4XEM sales Rep  
1-866-999-4936 Ext.104    [tschaus@4xem.com](mailto:tschaus@4xem.com)



## Features

- USB3.0 compatibility with USB2.0 compatibility
- Resolution up to 2048 x 1152 (for one display)
- Capable Primary / Extend / Mirror Video Mode
- Able to extend the display up to 6 Display units
- Supports DVI-I

## Application

- Home
- Office
- Display

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

**Contact Todd Schaus 4XEM sales Rep  
1-866-999-4936 Ext.104    [tschaus@4xem.com](mailto:tschaus@4xem.com)**





**DATA SHEET**

Warranty Information	Warranty	1 Year
Hardware	Host Bus Type Interface	USB 3.0 DVI 24+5 pin 2x 3.5mm TRS
	Industry Standards	USB 3.0 DVI-I VGA
Connector(s)	Flash	8MB
	SDRAM Chipset ID	512MB DDR2 DisplayLink - DL3500
Performance	Host Connector	USB 3.0 Type-A (5Gbps)
	Host Connector Type Connector Type(s)/Rate(s)	Direct Attached DVI 24+5 Female (SL Bandwidth 4.95Gbps) 3.5mm TRS Line In 3.5mm TRS Line Out
Software	Maximim Digital Resolution	2048 x 1152 @ 60Hz, 8bpc
	Analog Operation	Yes (via DVI to VGA adaptor)
Power	OS Compatibility	Windows® Vista, 7, 8, 8.1, 10 Mac OSX (10.4 or later) Linux
	Power Source Power Consumption	USB-Powered 1W
Physical Characteristics	Product Height	0.87 in [22.0 mm]
	Product Width	2.05 in [52.0 mm]
Environmental	Product Length	3.78 in [96.0 mm]
	Weight of Product	2.26 oz [64 g]
Packaging Information	Color	Black
	Material	ABS Plastic
What's in the Box	Cable Length	6.10 in [155.0 mm]
	LED Indicators	Power/Activity (Green)
Special Notes / Requirements	Operating Temperature	0°C to 40°C (32°F to 104°F)
	Storage Temperature	-10°C to 70°C (14°F to 158°F)
Minimum System Requirements	Humidity	10% to 90% RH (non-condensing)
	Package Height	2.09 in [53.0 mm]
Included in Package	Package Width	8.27 in [210.0 mm]
	Package Length	5.51 in [140.0 mm]
Available USB port	Shipping (Package) Weight	9.45 oz [268 g]
	CPU: Intel Core 2 Duo @ 2.0GHz	
RAM: 1GB	Included in Package	USB 3.0 DVI Adapter DVI-VGA Adaptor DVI-HDMI Adaptor Paper Driver CD Instruction Manual

\* Product appearance and specifications are subject to change without notice.

\* Same day shipping is only available for orders shipping within the United States.

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

**Contact Todd Schaus 4XEM sales Rep  
1-866-999-4936 Ext.104    tschaus@4xem.com**

