



DATA SHEET

4XEM Charging Kit compatible for MacBook

Pro 4XEM Part- 4XMBOOKPROKIT61

For your convenience 4XEM has put together this all-in-one kit. In this kit we have included our 96W USB-C wall-mounted Power Adapter (Charger) and our USB-C to C 40 Gigabit 120CM/1.2M Cable. Both products are compatible with most any USB-C device but are an ideal pairing for your MacBook Pro. Keep charged while on the go or anywhere you are with our convenient Charging Kits.

Problem it solves: Conveniently have the products to keep your MacBook Pro, and other compatible USB-C devices, fully charged with 4XEM's Charger Kits

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

Contact Todd Schaus 4XEM sales Rep  
1-866-999-4936 Ext.104    [tschaus@4xem.com](mailto:tschaus@4xem.com)



## Features

### 61W USB-C wall charger:

- Support HiSilicon Fast Charging Protocol FCP, USB PD, BC, AFC etc. for output
- Voltage and current communication
- Accurate limited current output
- Over current protection with Auto-recovery
- Overload protection and over voltage protection
- Short circuit protection with Auto-recovery
- Over temperature protection with Auto-recovery
- Intelligent LED for PD charging
- Select precision electrical components, fire line version, and imported fire plastic
- Portable and convenient to use

### 6FT/2M USB-C to USB-C Cable M/M USB 3.1 Gen 2 10Gbps (White)

- Transfer rates up to 10 Gbps
- 5A power rating supporting 100W of power.
- Great for fast-charging large capacity mobile devices with USB-C or Thunderbolt 3 ports.
- Compatible with USB-C AC Adapters and PD devices requiring up to 100W (including AC adapters drawing 90W, 85W, 65W, etc), Apple's 61W & 87W Power Adapter wall chargers, Docking Stations, Storage Hard Drives by LaCie, Western Digital G-Drive, and 4k/5k Video Displays such as LG UltraFine 5K, 4k, Samsung, HP EliteDisplay E243d, Dell USB-C Monitors & more!
- Works great for Laptops, Chromebooks, Desktops, Video Displays/Monitors, Battery Power Bricks, Portable Hard Drives, Tablets, 13-inch MacBook Air, 13-inch MacBook Pro, 15-inch MacBook Pro, iPad Pro, Microsoft Surface Book 2, LG Gram, Razer Blade Stealth, Samsung, Notebook 9, TabPro S, HP, Lenovo ThinkPad, X1, Yoga, IdeaPad, ASUS Transformer 3 Pro, ZenBook 3, ZenBook Flip S, Dell Inspiron 14 7000, XPS 13, XPS, Google Chromebook Pixel, Pixelbook, and more.

## Application

- Home
- Small business
- Charge
- Convenience

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

**Contact Todd Schaus 4XEM sales Rep  
1-866-999-4936 Ext.104    tschaus@4xem.com**





**DATA SHEET**

Warranty Information	Warranty	1 year
Connector(s)	Charging Port Power	USB Type-C Fixed with Retractable Prongs Non-Polarized NEMA 1-15P
	Charging Cable Connector A Charging Cable Connector B	USB Type-C Male USB Type-C Male
Performance	Industry Standards	USB-PD 3.0 Qualcomm QC 3.0 USB 3.1 Gen 2 10 Gbps 5A
	Cable Data Rate E-Marker	
Physical Characteristics	Charger Colour Display LED Indicator(s) Charger Width Charger Height Charger Length	White No Power: Blue 1.17 in [29.6 mm] 3.16 in [80.3 mm] 3.02 in [76.6 mm] 3.67 in [93.1 mm] (with power prongs out)
	Charger Weight Charging Cable Colour Charging Cable Length Charging Cable OD Charging Cable Weight	6.49 oz [184 g] White 6 ft [1.83 m] 0.18 in [4.6 mm] 2.05 oz [58 g]
Power	Power Delivery Input Voltage Output Voltage (PD 3.0)	61W 100-240VAC, 50Hz-60Hz @ 1.5A 5V DC @ 3A 9V DC @ 3A 12V DC @ 3A 15V DC @ 3A 20V-20.3V DC @ 3A
	Output Voltage (QC 3.0)	3.6V-12V DC @ 3A (0.2V/STEP) 36W Max
	Output Voltage (Other)	5V DC @ 2.4A 12W Max
Environmental	Operating Temperature Storage Temperature Humidity	0 to 40°C (32 to 104°F) -20 to 80°C (-4 to 176°F) 5% to 90% (non-condensing)
Packaging Information	Package Type Package Width Package Height Package Length Shipping (Package) Weight	Box 4.80 in [122.0 mm] 4.17 in [106.0 mm] 1.34 in [34.0 mm] 9.45 oz [268 g]
What's in the Box	Included in Package	61W USB-C Charger 6ft USB Type-C Cable
	Notes	10 Gbps is the theoretical maximum bandwidth. When transferring data, actual performance may vary depending on various factors including but not limited to connected computer hardware, connected peripheral, cable length, cable quality, and data overhead.

\* Product appearance and specifications are subject to change without notice.

\* Same day shipping is only available for orders shipping within the United States.

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

**Contact Todd Schaus 4XEM sales Rep  
1-866-999-4936 Ext.104    tschaus@4xem.com**

